Beton Baspar Co

New Euipment For Modern Construction

Safely discharge rubble from different floors

Rubbish Chute

www.betonbaspar.com

Working At Height Specialists
Safe Working Solutions

Beton Baspar (BB) Rubbish Chutes are used in the construction sector to safely discharge rubble from different floors of a building to avoid scattering of debris and any accidental damage to workers or pedestrians in the vicinity.

Stackable with anti-interlocking system
Each chute is equipped with 4 spacers to avoid interlocking and for easy stacking, storage and transportation.

Fastening System
Each BB rubbish chute is equipped with a two point fastening system, chains and high resistance hooks which fasten into a reinforced rim. This system guarantees safety, resistance and stability during discharging operations and prevents breakage during overload. Hooks are equipped with safety clips which guarantee a secure grip and prevent unfastening.

Features	E001TZ
Material	High quality linear, polyethylene
Weight	8 kg
Upper external diameter	59 cm
Upper interal diameter	50 cm
Lower Diameter	38 cm
Height	106 cm
Available colours	

Features:
- Can be installed on slabs, scaffolding and steel frames
- Highly Durable: UV stabilised
- Easily stackable and transportable

The shape, inclination and opening of the Beton Baspa hopper are designed to facilitate discharging of rubble. The structural resistance is specifically designed to endure and absorb impact.

Art. E001TT

Stackable hopper
Up to 25 stackable hopper units can be stacked per pallet. The stacking feature facilitates handling and storage as well as optimizing transport costs.

Stackable hopper
Art. E002TT

Column continuity
The hopper can be placed at intermittent levels so different loads can be discharged simultaneously without upper floor offloading operations interfering with lower floor operations. The high resistance material is specifically designed to endure and absorb impact.

Art. E003TT

Hopper	E001TT	E002TT	E003TT
Material	High quality linear polyethylene		
Load opening	64x42 cm	83x43 cm	67x43 cm
Discharge opening	Ø 39cm	Ø 39cm	Ø 39cm
Height	85 cm	65 cm	65 cm
Length	98 cm	98 cm	98 cm
Width	74 cm	74 cm	74 cm
Colour			

# Accessories

Universal support
Art. E001TS

Polyethylene box
Art. E001TV

Metal Sheet Protector

Braking device
Art. E001TR

Pivoted bucket
Art. E001BB

Chain and hook
Art. E001TC

www.betonbaspar.com

Beton Baspar Construction group, Tehran, Iran   **Tel:** +98 912 921 6970   **Fax:** +98 021 44501516   **Email:** info@betonbaspar.com